




**VETROGLASS®**  
HARDWARE

ARCHITECTURAL RAILING

[www.vetroglass.com](http://www.vetroglass.com)





# POST RAILING SYSTEMS

## ROUND



L-1R Series



L-2R Series




L-3R Series



L-5R Series

## SQUARE



L-1C Series



L-3C Series



L-5C Series

# POST RAILING SYSTEMS

## FLAT



L-06 Series



L-06B Series



L-08 Series



L-WOOD Series



L-09 Series



L-10 Series



VETROGLASS®  
HARDWARE

# Part Number Nomenclature

**Post Railing System**

**L-3C Series**

Stainless steel 2" square post of with square clamp.  
For 5/16" (7.94mm) thick glass or steel panels.  
Includes: Square glass clamp, social standoff saddle, base plate, offset.  
For use with 1-1/2" to 2" handrail.  
Commercial / Residential use.

**304 Polished Stainless Steel US32**

**304 Satin Stainless Steel US32D**

**36" Height**  
A - 2" (50.8mm) B - 36" (914.4mm)  
C - 4" (101.6mm)

**42" Height**  
A - 2" (50.8mm) B - 42" (1066.8mm)  
C - 4" (101.6mm)

**180° 90° END**

**L-3C 36 H/F 180 SSS**

Series: L-3C  
Height: 36  
H/F: H/F  
Position: 180  
Finish: SSS

(H) With Standoff Saddle.  
(F) Without Standoff Saddle, includes flat top post cap.

Finish (SSS/PSS) Position



# Post Railing System


L-1R Series



Stainless steel 2" post kit with round clamps.  
For 5/16"-1/2" (8-12mm) thick glass or steel panels.  
Includes: Round glass clamps, swivel standoff saddle, base plate w/flange.  
For use with 1-1/2" to 2" handrail.  
Commercial / Residential use.  
Available with or without standoff saddle.

1/4

  
**304 Polished**  
Stainless Steel  
**US32**

  
**304 Satin**  
Stainless Steel  
**US32D**








  
Thickness  
**5/16"-1/2"**  
**(8-12mm)**

## 36" Height

A - 2" (50.8mm) B - 36" (914.4mm)  
C - 4" (101.6mm)

## 42" Height

A - 2" (50.8mm) B - 42" (1066.8mm)  
C - 4" (101.6mm)



Custom size available.

All measurements are approximate

[www.vetroglass.com](http://www.vetroglass.com)

**VETROGLASS**  
HARDWARE

# Post Railing System

L-2R Series



Stainless steel 2" post kit with crossbar supports.

For Ø1/2" (12.7mm) crossbar (sold separately).

Includes: 4 crossbar support, swivel standoff saddle, base plate w/flange.

For use with 1-1/2" to 2" handrail.

Commercial / Residential use.

Available with or without standoff saddle.



1/4



**304 Polished**  
Stainless Steel  
**US32**



**304 Satin**  
Stainless Steel  
**US32D**

Sold Separately

Crossbar	RS32111210-6
Crossbar cap	CY-79 or CY-90
Crossbar connectors	CY-89, CY-91 or CY-71
Single glass support for crossbar	CY-45

**36" Height**








A - 2" (50.8mm) B - 36" (914.4mm)

C - 4" (101.6mm)

**42" Height**

A - 2" (50.8mm) B - 42" (1066.8mm)

C - 4" (101.6mm)



Custom size available.

**VETROGLASS®**  
HARDWARE

[www.vetroglass.com](http://www.vetroglass.com)

All measurements are approximate



# Post Railing System

L-3R Series



Stainless steel 2" post kit with square clamps.

For 5/16"-1/2" (8-12mm) thick glass or steel panels.

Includes: Square glass clamps, swivel standoff saddle, base plate w/flange.

For use with 1-1/2" to 2" handrail.

Commercial / Residential use.

Available with or without standoff saddle.



1/4



**304 Polished**  
Stainless Steel  
US32



**304 Satin**  
Stainless Steel  
US32D



Thickness  
**5/16"-1/2"**  
(8-12mm)



## 36" Height








A - 2" (50.8mm) B - 36" (914.4mm)

C - 4" (101.6mm)

## 42" Height

A - 2" (50.8mm) B - 42" (1066.8mm)

C - 4" (101.6mm)



Custom size available.

**VETROGLASS**  
HARDWARE

[www.vetroglass.com](http://www.vetroglass.com)

All measurements are approximate

# Post Railing System

L-5R Series



Stainless steel 2" post kit with round supports.  
For 3/8"-1/2" (10-13mm) thick glass or steel panels.  
Includes: Round support, swivel standoff saddle, base plate w/flange.  
For use with 1-1/2" to 2" handrail.  
Commercial / Residential use.  
Available with or without standoff saddle.



1/4



**304 Polished**  
Stainless Steel  
**US32**



**304 Satin**  
Stainless Steel  
**US32D**



Thickness  
**3/8"-1/2"**  
(10-13mm)





## 36" Height


A - 2" (50.8mm) B - 36" (914.4mm)  
C - 4" (101.6mm)

## 42" Height


A - 2" (50.8mm) B - 42" (1066.8mm)




90°




180°



END



90°



180°

END

Custom size available.

All measurements are approximate

[www.vetroglass.com](http://www.vetroglass.com)

**VETROGLASS**  
HARDWARE





VETROGLASS®  
HARDWARE



# Post Railing System

L-1C Series



Stainless steel 2" square post kit with round clamps.  
For 5/16"-1/2" (8-12mm) thick glass or steel panels.

Includes: Round glass clamp, swivel standoff saddle, base plate w/flange.

For use with 1-1/2" to 2" handrail.

Commercial / Residential use.

Available with or without standoff saddle.



**304 Polished**  
Stainless Steel  
**US32**



**304 Satin**  
Stainless Steel  
**US32D**



Thickness  
**5/16"-1/2"**  
**(8-12mm)**

## 36" Height





A - 2" (50.8mm) B - 36" (914.4mm)

C - 4" (101.6mm)


## 42" Height

A - 2" (50.8mm) B - 42" (1066.8mm)



C - 4" (101.6mm)





180°



90°



END



Custom size available.

All measurements are approximate

[www.vetroglass.com](http://www.vetroglass.com)

**VETROGLASS®**  
HARDWARE

# Post Railing System

L-3C Series



Stainless steel 2" square post kit with square clamps.  
For 5/16"-1/2" (8-12mm) thick glass or steel panels.  
Includes: Square glass clamp, swivel standoff saddle, base plate w/flange.  
For use with 1-1/2" to 2" handrail.  
Commercial / Residential use.  
Available with or without standoff saddle.



**304 Polished**  
Stainless Steel  
**US32**



**304 Satin**  
Stainless Steel  
**US32D**






Thickness  
**5/16"-1/2"**  
**(8-12mm)**

## 36" Height



A - 2" (50.8mm) B - 36" (914.4mm)  
C - 4" (101.6mm)

## 42" Height



A - 2" (50.8mm) B - 42" (1066.8mm)  
C - 4" (101.6mm)




180°



90°




END



180°

END



END

180°

90°

Custom size available.

**VETROGLASS®**  
HARDWARE

[www.vetroglass.com](http://www.vetroglass.com)

All measurements are approximate

# Post Railing System

L-5C Series



Stainless steel 2" square post kit with round supports

For 3/8" - 1/2" (10-13mm) thick glass or steel panels

Includes: Round support, swivel standoff saddle, base plate w/flange.

For use with 1-1/2" to 2" handrail.

Commercial / Residential use.

Available with or without standoff saddle.



1/4



**304 Polished**  
Stainless Steel  
**US32**



**304 Satin**  
Stainless Steel  
**US32D**



Thickness  
**3/8"-1/2"**  
**(10-13mm)**

## 36" Height



A - 2" (50.8mm) B - 36" (914.4mm)

C - 4" (101.6mm)


## 42" Height

A - 2" (50.8mm) B - 42" (1066.8mm)


C - 4" (101.6mm)




90°



180°




END



180°

END

90°



180°

90°

END

Custom size available.

All measurements are approximate

[www.vetroglass.com](http://www.vetroglass.com)

**VETROGLASS**  
HARDWARE



**TÜRGRIFFE®**  
EXCLUSIVE COLLECTION





# Post Railing System

L-06 Series



Stainless steel flat post kit with crossbar supports.  
For  $\text{Ø}1/2"$  (12.7mm) crossbar. (Sold separately)  
Includes: 4 crossbar support, swivel standoff saddle, base plate.  
For use with 1-1/2" to 2" handrail.  
Commercial / Residential use.  
Available with or without standoff saddle.

1/4

**304 Polished**  
Stainless Steel  
**US32**

**304 Satin**  
Stainless Steel  
**US32D**

## Sold Separately



Crossbar	RS32111210-6
Crossbar cap	CY-79 or CY-90
Crossbar connectors	CY-89, CY-91 or CY-71
Single glass support for crossbar	CY-45

## 36" Height

A - 2" (50.8mm) B - 36" (914.4mm)  
C - 4" (101.6mm)

## 42" Height

A - 2" (50.8mm) B - 42" (1066.8mm)  
C - 4" (101.6mm)



Custom size available.

All measurements are approximate



Stainless steel flat lateral post kit with crossbar supports

Installation on lateral wall

For  $\varnothing 1\frac{1}{2}$ " (12.7mm) crossbar (sold separately).

Includes: 4 crossbar support, swivel standoff saddle, base plate.

For use with 1-1/2" to 2" handrail.

Commercial / Residential use.

Available with or without standoff saddle.



1/4



**304 Polished**  
Stainless Steel  
**US32**



**304 Satin**  
Stainless Steel  
**US32D**

### Sold Separately

Crossbar	RS32111210-6
Crossbar cap	CY-79 or CY-90
Crossbar connectors	CY-89, CY-91 or CY-71
Single glass support for crossbar	CY-45

### 36" Height




A - 2" (50.8mm) B - 36" (914.4mm)

C - 4" (101.6mm)

### 42" Height

A - 2" (50.8mm) B - 42" (1066.8mm)

C - 4" (101.6mm)



Custom size available.



# Post Railing System

L-08 Series



Stainless steel flat post kit with flat clamps.  
For 3/8"-1/2" (10-12mm) thick glass or steel panels.

Includes: Flat glass clamps, swivel standoff saddle, base plate.  
For use with 1-1/2" to 2" handrail.  
Commercial / Residential use.  
Available with or without standoff saddle.

1/4



**304 Polished**  
Stainless Steel  
**US32**



**304 Satin**  
Stainless Steel  
**US32D**



Thickness  
**3/8"-1/2"**  
**(10-12mm)**





## 36" Height


A - 2" (50.8mm) B - 36" (914.4mm)  
C - 4" (101.6mm)

## 42" Height


A - 2" (50.8mm) B - 42" (1066.8mm)  
C - 4" (101.6mm)



180°



END



Custom size available.

All measurements are approximate

[www.vetroglass.com](http://www.vetroglass.com)

**VETROGLASS**  
HARDWARE

# Post Railing System

L-09 Series



Stainless steel flat post kit with round clamps.

For 3/8"-1/2" (9-13mm) thick glass or steel panels.

Includes: Round glass clamps, swivel standoff saddle, base plate.

For use with 1-1/2" to 2" handrail.

Commercial / Residential use.

Available with or without standoff saddle.

1/4



**304 Polished**  
Stainless Steel  
US32



**304 Satin**  
Stainless Steel  
US32D



Thickness  
**3/8"-1/2"**  
(9-13mm)



## 36" Height




A - 2" (50.8mm) B - 36" (914.4mm)

C - 4" (101.6mm)


## 42" Height

A - 2" (50.8mm) B - 42" (1066.8mm)


C - 4" (101.6mm)





90°



180°



END



Custom size available.

All measurements are approximate

# Post Railing System

L-10 Series



Stainless steel modern flat post kit with angled saddle and round clamps  
For 3/8"-1/2" (9-13mm) thick glass or steel panels.  
Includes: Round glass clamps, angle saddle, base plate.  
For use with 1-1/2" to 2" handrail.  
Commercial / Residential use.  
Also available without angle saddle.



  
**304 Polished**  
Stainless Steel  
**US32**

  
**304 Satin**  
Stainless Steel  
**US32D**






  
Thickness  
**3/8"-1/2"**  
(9-13mm)

## 36" Height

A - 2" (50.8mm) B - 36" (914.4mm)  
C - 4" (101.6mm)

## 42" Height

A - 2" (50.8mm) B - 42" (1066.8mm)  
C - 4" (101.6mm)



Custom size available.

All measurements are approximate

[www.vetroglass.com](http://www.vetroglass.com)

**VETROGLASS**  
HARDWARE






VETROGLASS<sup>®</sup>  
HARDWARE

# Standoff Saddles



**CY-225**  
90° fixed standoff saddle  
Corner application  
For use with Ø2" (50.8mm)  
handrail




- 304 Satin Stainless Steel US32D
- 304 Polished Stainless Steel US32

1/50



**CY-37**  
Swivel standoff saddle  
For use with Ø2" (50.8mm)  
handrail




- 304 Satin Stainless Steel US32D
- 304 Polished Stainless Steel US32

1/100



**CY-29**  
Swivel standoff saddle  
For use with Ø2" (50.8mm)  
handrail




- 304 Satin Stainless Steel US32D
- 304 Polished Stainless Steel US32

1/50



**CY-240**  
Swivel standoff saddle  
For use with Ø2" (50.8mm)  
handrail



- 304 Satin Stainless Steel US32D
- 304 Polished Stainless Steel US32

1/50



All measurements are approximate

# Post Rail Clamps



## DOUBLE PANEL CONNECTOR

For 3/8"-1/2" (10-12mm)  
Tempered glass




CY-327  
CY-330

Flat clamp  
Radius clamp




CY-327



3/8"-1/2"  
9mm-12mm

CY-330



3/8"-1/2"  
9mm-12mm

## SINGLE PANEL CONNECTOR

For 3/8"-1/2" (10-12mm)  
Tempered glass




CY-329  
CY-328

Flat clamp  
Radius clamp




CY-329




3/8"-1/2"  
9mm-12mm

CY-328



3/8"-1/2"  
9mm-12mm



All measurements are approximate





VETROGLASS<sup>®</sup>  
HARDWARE

# Flanges / Top Post Caps



## CY-123


Base flange

For Ø2" or 1-1/2"

A= 50.8 or 38mm Post railing

CY-123 1-1/2" (38mm)

CC-123 2" (50.8mm)



## CY-151


Base flange

For Ø2" or 1-1/2"

A= 50.8 or 38mm Post railing

CY-15138 1-1/2" (38mm)

CY-15150 2" (50.8mm)



## CY-97


Base flange cover

For Ø2" or 1-1/2"

A= 50.8 or 38mm Post railing

CY-9738 1-1/2" (38mm)

CC-9750 2" (50.8mm)




## CY-83

Round top post

For 2" x 3/64" (50.8 x 1.2mm)

post railing

Cap with handrail bracket insertion




## CY-122

Round top post

Flat cap

For 2" x 3/64" (50.8 x 1.2mm)


post railing



## CY-254

Base flange


For 2" (50.8mm) square posts



## CY-253 Complete set

Base flange


For 2" (50.8mm) square posts



## CY-359

Base flange cover

For 2" (50.8mm) square posts





## CY-321

Square top post

Cap with handrail bracket insertion

For 2" x 3/64" (50.8x1.2mm) square post

post




## CY-320

Square top post

Flat cap insertion

For 2" x 3/64" (50.8x1.2mm)

square post railing








VETROGLASS®  
HARDWARE



# Crossbar Connectors / Crossbar Caps

## CY-89


Wall-mount connector  
For 1/2" (12.7mm) crossbars



1  
304 Satin  
Stainless Steel  
US32D  
304 Polished  
Stainless Steel  
US32

## CY-91


Double connector  
For Ø1/2" (12.7mm) crossbar







1/200  
304 Satin  
Stainless Steel  
US32D  
304 Polished  
Stainless Steel  
US32

## CY-71

Adjustable elbow  
For Ø1/2" (12.7mm) crossbar




1/250  
304 Satin  
Stainless Steel  
US32D  
304 Polished  
Stainless Steel  
US32



## CY-79


Round end cap  
For Ø1/2" (12.7mm) crossbar



1/500  
304 Satin  
Stainless Steel  
US32D  
304 Polished  
Stainless Steel  
US32

## CY-90

Oval end cap  
For Ø1/2" (12.7mm) crossbar



1/500  
304 Satin  
Stainless Steel  
US32D  
304 Polished  
Stainless Steel  
US32



All measurements are approximate

# Crossbar Supports




## CY-42

Single support  
For  $\varnothing 1/2"$  (12.7mm) crossbar  
Concave base



1/200



304 Satin  
Stainless Steel  
US32D

304 Polished  
Stainless Steel  
US32




## CY-41

Double support  
For  $\varnothing 1/2"$  (12.7mm) crossbar



1/200



304 Satin  
Stainless Steel  
US32D

304 Polished  
Stainless Steel  
US32




## CY-135L

Left side terminal  
For  $\varnothing 1/2"$  (12.7mm) crossbar  
Concave base



1/300



304 Satin  
Stainless Steel  
US32D

304 Polished  
Stainless Steel  
US32




## CY-135R

Right side terminal  
For  $\varnothing 1/2"$  (12.7mm) crossbar  
Concave base



1/300



304 Satin  
Stainless Steel  
US32D

304 Polished  
Stainless Steel  
US32




## CY-153

Single support  
For  $\varnothing 1/2"$  (12.7mm) crossbar  
Concave base



1/250



304 Satin  
Stainless Steel  
US32D

304 Polished  
Stainless Steel  
US32




## CY-45

Glass support  
For  $\varnothing 1/2"$  (12.7mm) crossbar



1/250



304 Satin  
Stainless Steel  
US32D

304 Polished  
Stainless Steel  
US32




All measurements are approximate

# Cable Tensors

## CY-308


M6 starting screw and tensor.  
For 1/16", 3/16", 1/4"(2, 4, 6mm)  
cable.  
For round post without  
threaded rivet.



304 Satin  
Stainless Steel  
US32D

## CY-309


M6 starting screw and tensor.  
For 1/16", 3/16", 1/4"(2, 4, 6mm)  
cable.  
For square post without  
threaded rivet.



304 Satin  
Stainless Steel  
US32D

## CY-293


M6 ending screw and tensor.  
For 1/16", 3/16", 1/4"(2, 4, 6mm)  
cable.  
For use round post with  
threaded rivet.



304 Satin  
Stainless Steel  
US32D

## CY-294

M6 ending screw and tensor.  
For 1/16", 3/16", 1/4"(2, 4, 6mm)  
cable.  
For use square post with  
threaded rivet.



304 Satin  
Stainless Steel  
US32D

## CABLE

100.368 MTS Roll of stainless  
steel cable.



50MTS

CY-304  
SSWD4-50

Ø1/4" (6mm)  
Ø3/16" (4mm)

304 Satin  
Stainless Steel  
US32D







VETROGLASS®  
HARDWARE

# Frameless Windscreen Clamp Systems



## CY-0204SS

Beveled surface mount  
frameless windscreen clamp  
One-Piece  
Designed for 3/8"-1/2" (9-13mm)  
tempered glass and  
9/16" (14.3mm) tempered  
laminated glass  
Glass fabrication: Two holes  
3/4" (19mm)




304 Polished  
Stainless Steel  
US32



304 Satin  
Stainless Steel  
US32D



Thickness  
3/8"-1/2"  
(9-13mm)



## CY-0203SS

Surface mount frameless  
windscreen clamp  
One-Piece  
Designed for 3/8"-1/2" (9-13mm)  
tempered glass and  
9/16" (14.3mm) tempered  
laminated glass  
Glass fabrication: two holes  
3/4" (19mm)




304 Polished  
Stainless Steel  
US32



304 Satin  
Stainless Steel  
US32D



Thickness  
3/8"-1/2"  
(9-13mm)



## SPECIFICATIONS

Glass Thickness: 3/8" - 1/2" (10-12mm) Tempered safety glass or 9/16" (14.3mm) Tempered laminated glass

All measurements are approximate





VETROGLASS®  
HARDWARE



# Post Railing System Fascia Mount Brackets

## CY-94



Round post fascia mount bracket

For Ø2" (50.8mm) post railing

For use with center and end post



1/24



304 Satin  
Stainless Steel  
US32D



304 Polished  
Stainless Steel  
US32

## CY-247



Square post fascia mount bracket

For 1/2" (50.8mm) square post railing

For use with center and end posts




1/24



304 Satin  
Stainless Steel  
US32D



304 Polished  
Stainless Steel  
US32



All measurements are approximate

# Glass Railing Standoffs


## CY-007

13/16" Glass railing standoff

For 3/8"-1/2" (10-12mm)

tempered glass

Glass fabrication: Glass cutting required




## CY-01530SS

13/16" Glass railing standoff

For 3/8"-1/2" (10-12mm)

tempered glass

Glass fabrication: Glass cutting required




## CY-01550SS

13/16" Glass railing standoff

For 3/8"-1/2" (10-12mm)

tempered glass

Glass fabrication: Glass cutting required



For mounting to steel, concrete or wood.  
Glass cutting sheet available on web page.


All measurements are approximate



# Glass Railing Standoffs

## PT-000666

1-3/4" Heavy duty glass railing  
standoff  
For 3/8"-3/4" (10-19mm)  
tempered  
or laminated glass  
Glass fabrication: One 3/4"  
(19mm) hole per fitting




1/250



## PT-000667

3/4" Glass railing standoff  
For 3/8"-3/4" (10-19mm)  
tempered or laminated glass  
Glass fabrication: One 3/4"  
(19mm) hole per fitting




1/250



## PT-000668

Heavy duty glass rail standoff  
fitting with mounting plate  
For 1/2"-3/4" (12-19mm)  
tempered glass  
Glass fabrication: Two 3/4"  
(19mm) hole per fitting



1/250



For mounting to steel, concrete or wood.  
Glass cutting sheet available on web page.

All measurements are approximate




# Glass Railing Standoffs

## PT-000076

1/2" Glass railing standoff  
For 3/8"-1/2" (10-12mm)  
tempered glass  
Glass fabrication: One 1/2"  
(12.7mm) hole per fitting



1/250





## PT-000450

1/2" Glass railing standoff  
For 3/8"-1/2" (10-12mm)  
tempered glass  
Glass fabrication: One 1/2"  
(12.7mm) hole per fitting



1/250




For mounting to steel, concrete or wood.  
Glass cutting sheet available on web page.

All measurements are approximate




VETROGLASS®  
HARDWARE


# Stainless Steel Handrails




**RS3211**  
Round/Handrail/Crossbar




304 Satin  
Stainless Steel  
US32D




304 Polished  
Stainless Steel  
US32




APLICATION	CODE	A	ØB
Crossbar	R532111210-6	236-7/32" (6mts)	1/2" (12.7mm)
Post / Hand Railing	R532113812-3	118-7/64" (3mts)	1-1/2" (38mm)
	R532115015-3	118-7/64" (3mts)	2" (50.8mm")
	R532115015-6	236-7/32" (6mts)	2" (50.8mm")




**RS33115015-6**  
Square/Handrail/  
2"x2" (50.8x50.8mm)



304 Satin  
Stainless Steel  
US32D



304 Polished  
Stainless Steel  
US32








# Handrail Brackets




## JP012SS

Glass-mounted bracket  
Glass fabrication: 5/8" (16mm)  
For 2" (50.8mm) handrail




## JP032SS

Square glass-mounted bracket  
Glass fabrication: 5/8" (16mm)  
For  $\varnothing$ 2" (50.8mm) square handrail





## JP011SS

Wall-mounted bracket  
Fixed  
For 2" (50.8mm) handrail




## JP031SS

Wall-mounted bracket  
Fixed  
For  $\varnothing$ 2" (50.8mm) square handrail




## CY-192B

Wall-mounted bracket  
Round base  
Swivel  
For 2" (50.8mm) handrail




## PT-3039-1

Square glass-mounted bracket  
Swivel  
Glass fabrication: 5/8" (16mm)  
For  $\varnothing$ 2" (50.8mm) square handrail




## CY-06

Wall-mounted bracket  
Fixed  
For 2" (50.8mm) handrail or foot rail




## CY-271

Wall-mounted bracket  
Square base  
Fixed  
For 2" (50.8mm) square handrail




## CY-50

Floor/Wall-mounted brackets  
Fixed  
Foot rail support  
For 2" (50.8mm) foot rail



## CY-272

Wall-mounted bracket  
Square base  
Swivel  
For  $\varnothing$ 2" (50.8mm) square handrail



All measurements are approximate


# Handrail Connectors

## CY-70B

Adjustable elbow  
For Ø2" (50.8mm) handrail



1/50




## CY-251

90° Radius elbow  
For Ø2" (50.8mm) handrail  
Wall-mounted



1/50




## CY-322

Adjustable elbow  
For Ø2" (50.8mm) square handrail



1




## CY-66

"T" Connector 3-Way railing connector  
For Ø2" (50.8mm) handrail



1/24




## CY-138

90° Radius elbow  
For Ø2" (50.8mm) handrail  
Wall-mounted



1/50



For use with 1/2" and 2" railings

All measurements are approximate

# Handrail Connectors




## CY-67

90° Mitered elbow  
For Ø2" (50.8mm) handrail



40



304 Satin  
Stainless Steel  
US32D

304 Polished  
Stainless Steel  
US32




## CY-68

90° Radius elbow  
For Ø2" (50.8mm) handrail



1/50



304 Satin  
Stainless Steel  
US32D

304 Polished  
Stainless Steel  
US32




## CY-121

135° Mitered elbow  
For Ø2" (50.8mm) handrail



1/50



304 Satin  
Stainless Steel  
US32D

304 Polished  
Stainless Steel  
US32




## CY-75B

Double-sided connector  
For Ø2" (50.8mm) handrail



1/100



304 Satin  
Stainless Steel  
US32D

304 Polished  
Stainless Steel  
US32




## CY-75

Double-sided  
Connector  
For Ø2" (50.8mm) handrail



1/100



304 Satin  
Stainless Steel  
US32D

304 Polished  
Stainless Steel  
US32



CY-67




## CY-319

Double-sided connector  
For Ø2" (50.8mm) square  
handrail



1



304 Satin  
Stainless Steel  
US32D

304 Polished  
Stainless Steel  
US32



CY-68

## SPECIFICATIONS

For Ø2" x 3/64" (50.8 x 1.2mm) handrail

All measurements are approximate



# Handrail End Caps


## CY-214

90° Flat cap

For Ø2" (50.8mm) handrail



1/50




## CY-63

90° Round cap

For Ø2" (50.8mm) handrail



1/50





## CY-318

Square flat cap

For Ø2" (50.8mm) handrail



1




## CY-88

Round cap

For Ø2" (50.8mm) handrail



1/250



## TJ

Round flat cap

**Note:** Always verify tube thickness



1/20




TJ3808SS  
TJ5008SS  
TJC033812SS  
TJC035012SS



Flat  
Flat  
Curve  
Curve




## TJ5008SS




## TJ3808SS




## TJC035012SS



## TJC033812SS



All measurements are approximate





VETROGLASS<sup>®</sup>  
HARDWARE